

SUPPLEMENT TO

The Gazette



सत्यमेव जयते

of India

No. 20]

NEW DELHI, SATURDAY, JUNE 2, 1956

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th April, 1956

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
STATES PART (A) & PART (C)																Assam—contd.															
Ajmer																(Estd. mid-year pop. 9,817 thousands.)															
TOTAL																Total for w/c 21-4-56															
(Estd. mid-year pop. 752 thousands.)																Total for w/c 14-4-56															
Total for w/c 21-4-56																7-yearly mean for the week															
Total for w/c 14-4-56																Bhopal															
7-yearly mean for the week																TOTAL															
Andhra																(Estd. mid-year pop. 867 thousands.)															
Srikakulam																Total for w/c 21-4-56															
Godavari East																Total for w/c 14-4-56															
Godavari West																7-yearly mean for the week															
Krishna																Bihar															
Guntur																"N. R."															
Nellore																Bombay															
Kurnool																Greater Bombay															
Cuddaph																Ahmedabad															
Jantapur																Kaira															
Chittoor																Panch Mahals															
TOTAL																Surat															
(Estd. mid-year pop. 21,238 thousands.)																Thana															
Total for w/c 21-4-56																Ahmednagar															
Total for w/c 14-4-56																East Khandesh															
7-yearly mean for the week																West Khandesh															
Assam																Amreli															
Cachar																Nasik															
Kamrup																Poona															
TOTAL																															
Explanation of Symbols used ; C=Cases; D=Deaths; "N.R."=Information not received; ..=Nil.																															

Explanation of Symbols used ; C=Cases; D=Deaths; "N.R."=Information not received; ..=Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th April, 1956—*contd.*

CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE	
—	C.	D.	C.	D.	C.	D.	—	C.	D.	C.	D.
Bombay—contd.							Madhya Pradesh				
Satara North			6	Nagpur			24	1
Sholapur			17	1	Wardha			116	9
Belgaum			2	Chanda			24	..
Kanara			3	Chhindwara			74	5
Baroda			6	Betul			14	..
Mehsana			4	1	Bhandara			139	11
Banaskantha			41	3	Jabalpur			2	..
TOTAL	1	..	163	27	Sagar			69	9
(Estd. mid-year pop. 39,569 thousands.)							Mandla			19	2
Total for w/e 21-4-56	5	..	162	38	Hoshangabad		5	2	36
Total for w/e 14-4-56	286	48	Balaghat			4	..
7-yearly mean for the week	13	7	571	118	Bilaspur			1	..
Coorg							Durg			9	..
TOTAL	Amravati			6	..
(Estd. mid-year pop. 262 thousands.)							Yetmal			14	..
Total for w/e 21-4-56	Akola			54	11
Total for w/e 14-4-56	Buldana			71	9
7-yearly mean for the week	1	TOTAL	5	2	726	60
Delhi							(Estd. mid-year pop. 22,109 thousands)				
Delhi City	2	Total for w/e 21-4-56	3	2	484	52
New Delhi	6	Total for w/e 14-4-56	690	70
Delhi Notified Area	2	7-yearly mean for the week	31	13	264	36
New Delhi Cantt.	1	Madras				
TOTAL	9	2	Madras town			9	3
(Census pop. 1,744 thousands.)							South Arcot			2	4
Total for w/e 21-4-56	11	4	Tiruchirappalli			6	1
Total for w/e 14-4-56	6	2	Tirunelveli			4	..
7-yearly mean for the week	9	4	Malabar			1	1
Himachal Pradesh							TOTAL	22	9
"N.R."							Estd. mid-year pop. 38,273 thousands.)				
							Total for w/e 21-4-56	55	18
							Total for w/e 14-4-56	11	4
							7-yearly mean for the week	87	45	102	29

Explanation of symbols used; C=Cases; D=Deaths "N.R."=Information not received .. =Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th April, 1956--*contd.*

CHOLERA							CHOLERA						
SMALLPOX							SMALLPOX						
PLAGUE							PLAGUE						
C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Manipur							Uttar Pradesh						
TOTAL	Allahabad	3	1
(Estd. mid-year pop. 613 thousands.)							Azamgarh	9	5
Total for w/e	Banaras	17	8
Total for w/e	Bahraich	11	6
Orissa							Kanpur	9	1
Cuttack	6	3	15	Dehra Dun	6	2
Balasore	39	14	4	Deoria	6	3
Puri	33	14	21	Gorakhpur	..	4	4	1
Sambalpur	3	Garhwal	15	10
Bandh	1	Hardoi	6	1
Dhankanal	4	1	Kheri	2	1
Bolangir Patna	19	10	2	Moradabad	1
Sundergarh	7	Mathura	1
Kalahandi	2	1	2	Saharanpur	1
Mayurbhanj	4	Sitapur	5	2
TOTAL	106	42	56	1	Tehri Garhwal	2
(Estd. mid-year pop. 15,114 thousands.)							TOTAL	4	4	97	40
Total for w/e 21-4-56	74	32	91	9	(Estd. mid-year pop. 66,780 thousands.)						
Total for w/e 14-4-56	13	7	48	1	Total for w/e 21-4-56	49	20
7-yearly mean for the week	43	26	187	23	Total for w/e 14-4-56	2	2	49	14
Punjab (I)							7-yearly mean for the week	56	22	195	75	57	18
Hissar	3	1	Vindhya Pradesh						
Rohtak	1	TOTAL	55	6
TOTAL	4	1	(Estd. mid-year pop. 3686 thousands.)						
(Estd. mid-year pop. 12,641 thousands.)							Total for w/e 21-4-56
Total for w/e 21-4-56	12	Total for w/e 14-4-56
Total for w/e 14-4-56	6	4	7-yearly mean for the week
7-yearly mean for the week	29	6	Pondicherry						
Tripura							TOTAL	24	4
TOTAL	1	Vindhya Pradesh						
(Estd. mid-year pop. 706 thousands.)							TOTAL	55	6
Total for w/e 21-4-56	1	1	(Estd. mid-year pop. 3686 thousands.)						
Total for w/e 14-4-56	3	Total for w/e 21-4-56
7-yearly mean for the week	Total for w/e 14-4-56

Explanation of Symbols used : C=Cases; D=Deaths; ..=Nil information;

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th April, 1956—contd.

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
West Bengal								STATES PART (B)							
Burdwan	13	5	9	2	Hyderabad							
Birbhum	3	2	3	Rajchur	48	28	5	2
Bankura	4	3	7	1	Mahbubnagar	10	7	1
Midnapur	20	10	2	2	Hyderabad	3	1
Hooghly	37	11	Khammam	17	1
Howrah	106	32	1	1	TOTAL	58	35	26	4
24-Parganas	77	36	6	4	Jammu & Kashmir							
Calcutta	161	58	4	4	"N. R."							
Nadia	4	1	1	Madhya Bharat							
Murshidabad	60	22	"N.R."							
Malda	13	2	Mysore							
West Dinajpur	9	1	Chitaldrug	2
Jalpaiguri	1	TOTAL	2
TOTAL	485	180	56	17	Patiala & East Punjab States Union							
(Estd. mid-year pop. 26396 thousands).								TOTAL
Total for w/e 21-4-56	337	134	49	26	Rajasthan							
Total for w/e 14-4-56	202	94	74	23	"N.R."							
7-yearly mean for the week	625	267	203	75	Saurashtra							
Grand Total for States Parts (A) & (C) (excluding Bihar, Himachal Pradesh)	602	227	1295	164	Zalawad	14
								Central Saurashtra	1
								TOTAL	15
(Corresponding Estd. mid-year pop. 260,567 thousands.)								Travancore-Cochin							
„Total for w/e 21-4-56	470	196	1206	245	TOTAL	11	3
„Total for w/e 14-4-56	291	124	1714	297	Grand Total for States Part (B)	60	35	52	7
„7-yearly mean for the week	942	420	1,967	441	77	20	20	Grand Total for States Parts (A), (B) and (C)	662	262	1,347	171

Explanation of Symbols used: C=Cases ; D=Deaths; ..=Nil ; "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th April, 1956—*contd.*

CHOLERA SMALLPOX PLAGUE								CHOLERA SMALLPOX PLAGUE							
—		C.	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.
ARREAR INFORMATION								Madhya Pradesh							
Jammu and Kashmir															
<i>w/e 10-3-56</i>															
Total	4	I	Balaghat	II	I	..
<i>w/e 24-3-56</i>								Bilaspur	.	.	3	2
Total	Durg	27
<i>w/e 31-3-56</i>								Amravati	2
Total	6	I	Akola	52	II	..
								Buldana	71	15	..
								TOTAL	.	.	3	2	484	52	..
Madhya Bharat															
<i>w/e 7-4-56</i>															
Total	29	9	Bombay							
<i>w/e 14-4-56</i>								<i>w/e 21-4-56</i>							
Total	19	8	Greater Bombay	4	I
<i>w/e 21-4-56</i>								Ahmedabad	II	12	..
Total	14	8	Amreli	6	4	..
Madhya Pradesh								Surat	.	.	5	..	22	10	..
<i>w/e 21-4-56</i>								Ahmednager	—	16	I	..
Nagpur	18	I	..	East Khandesh	8	I	..
Wardha	—	52	4	..	West Khandesh	10	I	..
Chanda	.	.	—	..	13	Nasik	3	I	..
Chhindwara	42	6	..	Belgaum	I
Betul	34	Sholapur	17	3	..
Yeotmal	3	—	..	Bljapur	I
Jabalpur	6	I	..	Baroda	20	2	..
Bhandara	79	5	..	Mehsana	8
Sagar	3	I	..	Banaskantha	21	2	..
Mandla	12	I	..	Kolaba	I
Hoshangabad	59	6	..	Poona	3
								Thana	10
								TOTAL	.	5	..	162	38

Explanation of symbols used: C=Cases; D=Deaths; ..=Nil.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 28th April, 1956.—*concl'd.*

CHOLERA						SMALLPOX		PLAGUE		CHOLERA						SMALLPOX		PLAGUE					
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.					
Jammu and Kashmir										Himachal Pradesh													
w/c 7-4-56										w/e 21-4-56													
TOTAL			TOTAL						
w/e 14-4-56																							
TOTAL.			44														
Rajasthan										POLIOMYELITIS													
w/e 7-4-56										(Information based on Patients treated in hospitals in important towns)													
TOTAL .		..		90		15														
w/e 14-4-56																							
TOTAL .		..		45		16														
										Places										Period		Cases	
										Punjab										16th—30th April, 1956		20 (paretic)	

Explanation of Symbols used : C.—Cases; D.—Deaths.

NEW DELHI-2 (INDIA) ;

The 21st May, 1956.

K. MITRA,

for Registrar General, India.

Prosper with the ⁵NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th April, 1956

TOWN	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from —								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
STATES—(Parts A and C)														
Ajmer														
Ajmer	223	63	14·7	—	9	1	15	..	42	9·8	9	
Beawar†														
TOTAL	223	63	14·7	9	1	15	..	42	9·8	9	
Andhra														
Adoni†														
Anantapur	38	30	41·0	3	..	3	2	14	19·2	1	
Anakapalli	46	18	20·3	2	2	13	14·7	5	
Bhimavaram	36	16	23·1	1	1	1	..	8	11·6	..	
Chirala	43	31	37·5	2	..	1	..	12	14·5	2	
Chittoor†	45	35	40·5	1	..	1	..	10	11·6	1	
Cuddapah	42	30	37·1	3	3	12	14·9	2	
Eluru	99	46	24·2	..	1	..	8	..	2	..	28	14·7	9	
Gudlavada	36	33	47·7	..	2	..	3	..	4	..	12	17·3	4	
Guntur †														
Guntakal	37	26	36·5	1	1	1	..	15	21·1	2	
Kakinada	113	2	..	12	29	13·3	2	
Kurnool	68	55	42·1	1	2	1	25	19·1	10	
Masulipatnam	88	86	50·8	4	1	2	..	27	16·0	6	
Nandyal†														
Nellore	95	121	66·2	4	3	2	..	45	24·6	15	
Proddatur †														
Rajahmundry †														
Tenali	67	48	37·3	..	1	..	3	1	1	..	19	14·7	4	
Vijayawada	201	140	36·3	..	1	..	5	1	3	..	44	11·4	9	
Visakhapatnam	128	40	16·2	8	2	12	..	37	15·0	5	
Vizianagaram	75	40	27·7	4	2	..	1	25	17·3	5	
TOTAL	1,257	795	32·9	..	7	..	64	15	35	7	375	15·5	82	
Assam														
Shillong†														
Gauhati	51	4	4·1	..	1	..	6	15	15·2	1	
Dibrugarh	46	4	4·5	1	1·1	..	
Silchar	43	11	13·3	1	1	..	4	4·8	..	
TOTAL	140	19	7·1	..	1	..	6	1	1	..	20	7·4	1	
Bhopal														
Bhopal City	116	76	34·1	2	..	1	..	3	1·3	..	
Bihar														
"N. R."														
Bombay														
For w/e 10-3-56														
Ahmedabad	889	584	34·2	..	3	..	57	16	150	..	519	30·2	132	
Ahmednagar	88	62	36·6	3	2	3	1	25	14·8	7	
Amalner	50	32	33·3	12	..	1	..	15	15·6	5	
Bagalkot	36	19	27·4	3	..	3	..	9	13·6	1	
Baroda†														
Barisi	46	26	29·4	11	1	4	..	28	31·2	6	
Belgaum	110	113	53·5	4	2	2	..	25	11·8	4	
Bhusawal	62	37	31·0	11	..	1	..	16	13·4	3	
Bijapur	75	47	32·6	21	..	8	1	23	15·9	..	

*In cases of towns where there has been an abnormal movement of population, it is likely that the Population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Birth ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil Information. "N. R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th April, 1956—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from:—											D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F	D.D.	R.D.	M.D.	Total			
Bombay—Contd.														
Broach†														
Cambay	41	34	43·1	3	1	5	6·3	1	
Chalisgaon†														
Dharwar	76	36	24·6	6	2	21	14·4	2	
Dhulia	89	30	17·5	8	..	3	..	17	9·9	3	
Gadag-Betageri	71	40	29·3	15	..	2	1	35	25·6	..	
Godra	40	39	50·7	3	..	2	..	11	14·3	2	
Greater Bombay	3,449	1,648	24·9	6	25	108	3	563	8·5	151	
Hubli	148	51	17·9	2	..	1	..	14	4·9	1	
Jalgaon	79	82	54·0	9	..	4	1	26	17·1	5	
Kalyan	73	71	50·6	3	..	5	..	20	14·2	8	
Kolhapur	159	116	37·9	4	..	5	..	35	11·4	3	
Malegaon	63	38	31·4	16	2	2	..	22	18·2	4	
Miraj†														
Nadiad	71	36	26·4	27	..	2	..	39	28·6	8	
Nandurbar	35	17	25·3	2	1	10	14·9	3	
Nasik	119	83	26·3	4	..	9	..	31	13·5	8	
Nevsari	50	30	31·2	4	10	10·4	5	
Pandharpur	44	37	43·8	3	3	5	..	16	18·9	..	
Patan	47	24	26·6	3	..	6	..	18	19·9	..	
Poona	607	300	25·7	..	1	..	25	5	28	1	143	10·6	38	
Sangli	58	36	32·3	1	..	2	..	11	9·9	3	
Satara	40	37	48·1	4	..	1	..	12	15·6	..	
Sholapur	299	228	39·7	29	9	26	..	103	17·9	44	
Surat	250	200	41·6	..	5	..	22	2	29	1	150	32·0	34	
Thana	61	27	23·0	3	13	11·1	3	
TOTAL	7,325	4,160	29·5	..	9	..	305	70	412	10	1,985	14·1	484	
Delhi State } "N.R."														
Madhya }														
Madras														
Ambur	44	42	49·6	4	4·7	1	
Aruppukottai	56	45	41·8	4	3	4	..	25	23·3	8	
Bodinayakanur	40	33	42·9	2	2	..	7	9·1	3	
Cannanore	47	35	38·7	7	..	1	..	13	14·4	2	
Chidambaram	39	36	48·0	3	1	17	22·6	3	
Coimbatore	234	200	44·4	3	10	20	1	80	17·7	17	
Cuddalore	74	63	45·5	1	2	7	..	27	19·5	4	
Dindigul	90	66	38·1	2	..	16	19	11·0	4	
Erode	67	53	41·2	2	3	..	17	13·2	3	
Gobichetty Palayam	38	27	36·9	7	9·6	2	
Guddiyattam	53	40	39·3	1	3	..	10	9·8	2	
Kancheepuram	90	75	43·3	5	14	..	34	19·6	2	
Karalkudi	44	28	33·1	2	..	1	..	13	15·4	2	
Karur†	50	35	36·4	..	1	..	1	2	3	..	17	17·7	2	
Kozhikode	176	226	66·7	7	3	8	1	84	24·8	17	
Kumbakonam	105	109	53·9	2	1	5	..	30	14·8	5	
Madras	1,703	1,392	42·5	..	3	..	58	75	137	6	558	17·8	157	
Mangalore	136	117	44·7	2	6	5	..	68	26·0	13	
Mathurai	427	408	49·7	15	9	41	5	153	18·6	46	
Mayuram	49	59	62·6	1	11	11·7	..	
Melapalayam	41	12	15·2	2	2	2·5	2	
Nagapattinam	60	72	62·4	1	1	1	..	15	13·0	2	
Ootacamund	48	40	43·3	3	1	..	15	16·3	3	
Palani	40	27	35·1	2	..	10	13·0	2	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th April, 1956—*contd.*

Deaths from :—														
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.C.	
Madras—contd.														
Palayamkottai	45	55	63.5	1	..	5	..	24	27.7	2	
Palghat	77	66	44.6	1	3	1	17	11.5	3	
Periyakulam	34	43	65.7	2	2	..	11	16.8	1	
Pollachi	51	45	45.8	1	12	12.3	5	
Pudukottai	50	73	75.9	2	2	3	2	35	36.4	7	
Rajapalayam	69	32	24.1	4	3	1	..	17	12.8	3	
Salem	241	150	32.4	4	6	12	2	59	12.7	8	
Srirangam	42	37	45.8	1	1	1	..	18	22.3	7	
Srivilliputtur	44	43	50.8	4	2	1	..	24	28.4	10	
Tanjore	118	205	90.3	6	1	17	2	62	27.3	9	
Tellicherry	42	40	49.5	2	2	21	26.0	3	
Tiruchitrappalli†														
Tirunelveli	80	82	53.3	1	4	6	..	33	21.4	11	
Tiruppur	63	82	67.7	1	4	1	16	13.2	5	
Tiruvannamalai														
Tuticorin	111	105	49.2	1	3	17	3	55	25.7	15	
Vaniyambadi	43	29	35.0	1	1	5	6.0	..	
Vellore	124	116	48.6	2	..	8	3	50	20.9	10	
Villupuram	39	41	58.6	2	3	3	18	24.0	3	
Virudhunagar	53	56	54.9	2	2	1	..	10	9.8	2	
TOTAL	5,077	4,513	46.5	..	4	..	136	160	342	50	1,723	17.6	406	

Orissa

"N. R."

Punjab (I)

Ambala	65	31	24.9	6	3	14	11.3	5
Amritsar	343	152	23.2	3	14	..	54	8.2	22
Batala	62	34	28.7	3	9	7.6	3
Bhiwani	57	39	35.8	5	..	1	..	9	8.3	3
Ferozepore	45	27	24.4	1	1	2	..	7	8.1	2
Hissar	39	18	24.1	3	..	2	..	6	8.0	2
Hoshiarpur	51	21	21.5	5	..	12	12.3	6
Jullundur	200	110	28.8	6	4	4	..	39	7.8	10
Karnal	72	34	24.7	3	6	4.4	2
Ludhiana	176	125	37.1	14	43	12.8	15
Moga	41	29	37.0	2	..	1	..	7	8.9	3
Pañipat	64	24	19.6	2	..	1	..	5	4.1	..
Pathankot	34	25	38.5	5	7.7	2
Rewari	36	8	11.6	2	..	2	..	6	8.7	1
Rohtak	105	45	22.4	4	..	2	..	10	5.0	4
Simsa	50	22	23.0	1	6	6.3	2
Sonepat	34	21	32.3	11	..	2	1	14	21.5	7
TOTAL	1,474	759	26.8	63	11	36	1	243	8.6	89

Uttar Pradesh

Agra	375	311	43.4	6	55	..	89	12.4	37
Allahabad	349	145	21.7	..	1	..	3	1	35	..	71	10.6	9
Amroha	61	50	42.8	2	1	5	..	18	15.4	9
Bahraich	47	25	27.8	8	2	21	23.4	5
Banaras	383	242	33.0	..	4	..	84	13	18	..	232	31.7	81
Ballia	35	13	19.4	2	3.0	2
Banda	32	16	26.1	1	..	3	..	5	8.2	3
Barilly	203	55	14.2	11	2	5	..	26	6.7	5
Bijnor†													

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births ; B. R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D. D. = Dysentery and Diarrhoea ; R. D. = Respiratory Diseases ; M. D. = Maternal Deaths ; D. R. = Death Rate ; I. D. = Infants Deaths (included in total Deaths) ; .. = Nil Information ; "N. R." = Information not received

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th April, 1956—*contd.*

Deaths from—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Budaun	54	33	31.9	9	2	3	..	18	17.4	9
Basti†													
Bulandshahr†													
Chandausi	41	28	35.5	13	5	3	..	28	35.5	6
Dehra Dun	146	58	20.8	..	2	..	2	1	7	1	28	10.0	2
Etawah	64	28	22.9	7	3	5	..	27	22.0	11
Faizabad-Ayodhya	88	22	13.1	1	1	4	..	13	7.7	4
Farrukhabad-Fatehgarh	82	33	21.0	10	3	9	..	29	18.5	8
Ferozabad	79	19	12.6	9	14	9.3	4
Gazabad	46	19	21.6	3	8	9.1	2
Gazipur	36	20	29.0	8	..	1	..	16	23.2	3
Gorakhpur	140	83	31.0	8	1	7	..	27	10.1	6
Gonda	35	14	20.9	1	2	3.0	..
Hapur	49	44	46.9	4	1	2	1	11	11.7	6
Hardwar	64	37	20.2	12	..	2	..	26	21.2	7
Hathras	62	38	32.0	17	5	8	..	38	32.0	22
Jaunpur	56	22	20.5	3	..	4	..	10	9.3	1
Jhansi	116	68	30.6	26	1	5	..	36	16.2	13
Kanpur	734	400	28.5	115	18	45	6	304	21.6	83
Kasganj	34	4	6.1	1	1	1.5	1
Khurja	41	18	22.9	1	1	3	..	11	14.0	5
Koil-Allgarh	150	67	23.3	17	6	5	..	33	11.5	12
Lucknow	494	361	38.2	34	8	27	..	159	16.8	44
Mathura	110	69	32.8	11	2	9	..	26	12.3	8
Mau-Nath Bhanjant													
Meerut	185	97	27.4	5	1	5	..	17	4.8	4
Mirzapur-Vindhyachal	97	33	17.8	10	18	9.7	5
Moradabad	164	105	33.5	8	3	12	1	45	14.3	13
Muzaffarnagar	74	45	31.8	7	..	2	..	11	7.8	1
Pilibhit	45	9	10.4	2	3	3	..	9	10.4	2
Rampur†													
Saharanpur	162	104	33.6	27	2	37	11.9	8
Sambhal	65	55	44.2	9	4	9	..	33	26.5	11
Shahjahanpur	99	95	39.0	8	3	5	..	30	12.3	16
Sitapur	49	31	28.9	3	7	7.4	4
TOTAL	5,146	2,916	29.5	..	7	..	500	99	306	9	1,536	15.5	472
West Bengal													
Asansol†													
Baldyabati	33	5	7.9	2	1	4	6.3	1
Bally	66	9	7.1	1	1	..	4	3.2	..
Bankura†													
Bansberia†													
Baranagar	90	38	22.1	1	4	1	4	..	18	10.5	6
Basirhat	39	11	14.7	1	1	3	4.0	..
Berhampur	64	35	28.6	2	..	8	6.5	1
Bhadreshwar	34	6	9.2	2	2	3.1	..
Bhatpara	143	13	4.8	15	2	8	1	34	12.4	9
Budge-Budge	32	9	14.7	1	1	..	5	8.2	1
Burdwan†													
Calcutta	2,984	1,214	21.3	58	4	..	44	70	127	2	644	11.3	160
Chandani	41	11	14.0	1	3	3.3	..
Coach-Behar†													

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (under five years of age); ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th April, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. East (000)	B. B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal—<i>contd.</i>												
Darjeeling†												
English-Bazar	36	23	33.4	1	1.5	..
Garden Reach	124	4	1	10	4.2	3
Halisahar	41	1	1.3	3	3.8	..
Hoogly-Chinsurah	60	54	47.1	4	..	3	3	1	1	20	17.4	2
Howrah	477	118	12.9	17	1	8	20	29	1	142	15.6	34
Jalpaiguri†												
Kamalahat†												
Kanchrapara	74	20	14.1	1	0.7	..
Krishnagar	56
Midnapore†												
Nabadwip	70	29	21.7	3	..	13	4	23	17.2	..
Naihati	62	10	8.4	2	..	2	2	3	..	10	8.4	..
North-Barrackpore	36	4	5.8	1	1	1.5	..
Panlhati†												
Shantipur	49	23	24.5	1	1.1	..
Serampore	83	30	18.9	3	..	2	1	7	..	27	17.0	4
Siliguri†												
South Dum Dum	83	9	5.7
South Suburban	124	19	8.0	3	..	1	2	3	..	16	6.7	6
Titagarh	78	24	16.1	2	..	16	..	3	..	22	14.7	5
TOTAL	4,979	1,715	18.0	96	5	117	107	190	6	1,002	10.5	232

STATES—(Part B)

Jammu & Kashmir

"N.R."

Madhya Bharat

"N.R."

Mysore

Bhadravati	55	8	7.6	1	1	0.9	..
Banglore	977	649	35.5	8	59	80	284	15.1	..
Mysore	294	168	29.7	16	1	6	56	9.9	..
Kolar Gold Fields	173	77	23.1	4	6	24	7.2	..
Billary	78	85	56.6	3	1	2	27	18.0	..
Davangere	69	47	35.4	3	1	10	7.5	..
Hospet	45	21	24.3	1	..	1	5	5.8	..
Shimoga	57	21	19.2	10	..	1	12	10.9	..
Tumkur	44	17	20.0	1	1	8	9.4	..
Chitaldrug	31	3	5.0	3	5.0	..
TOTAL	1823	1,096	31.3	39	69	98	430	12.3	..

PEPSU

Patiala City	111	139	165.1	11	..	2	21	19.8	11
Malerkotla	34	26	39.8	6	74	10.7	1
Bhatinda	39	27	36.0	1	2	2.7	..
TOTAL	184	192	54.3	18	..	2	30	8.5	12

Travancore-Cochin

Alleppey	148	117	41.1	2	19	6.7	3
Changanacherry	41	44	55.8	9	11.4	2
Ernakulam	70	38	28.2	1	1	2	15	11.1	1
Kottayam	50	25	26.0	1	..	1	18	18.7	..
Mattancherry	85	66	40.4	3	14	8.6	1
Nagercoil	94	35	19.4	4	10	5.5	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information; "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th April, 1956—*contd.*

Town	Mid-year Popn.-Est. (000)	Deaths from :-										Total	D.R.*	I.D.
		B.	B.R *	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Travancore-cochin—contd.														
Quilon		75	54	37.4	2	5	1	23	15.9	2
Trichur		76	78	53.4	5	..	7	4.8	..
Trivandrum City		218	270	64.4	4	3	6	6	39	9.3	3
TOTAL		357	727	44.1	6	6	28	11	154	9.3	12
Saurashtra														
Bhavnagar		157	91	30.1	21	2	14	1	66	21.9	16
Dhoraji		47	21	23.2	5	..	1	..	12	13.3	1
Gondal†														
Jamnagar†														
Junagadh †														
Morvi		43	7	8.5	4	4	4.8	2
Porbandar		64	15	12.2	10	2	21	17.1	9
Rajkot		167	59	18.4	7	1	4	1	29	9.0	12
Surendranagar		42	9	11.1	1	..	2	..	4	4.9	..
Veraval		46	6	6.8	1	..	1	..	4	4.5	..
TOTAL		566	208	23.2	49	5	21	2	140	15.6	40
Hyderabad														
Aurangabad		73	11	7.8	2	..	1	..	7	7.1	..
Bidar†														
Gulberga		90	21	12.1	5	..	5	..	12	6.9	..
Hyderabad City†]														
Jalna		67
Kothagudiam		71	32	23.5	5	3.7	..
Latur		41
Nanded		80	14	9.1	7	7	4.5	..
Nizambad		67	17	15.2	2	3	2.3	..
Parbhani		40	5	6.5	3	1	5	6.5	1
Raichur †														
Secunderabad City		162	170	54.6	4	1	18	..	47	15.1	6
Warangal		155	21	7.0	4	..	1	..	9	3.0	..
TOTAL		779	291	19.4	27	1	25	1	95	6.3	7
ARREAR RETURNS														
Bihar														
w/e 21-4-56														
Arrah		70	12	8.9	5	6	4.5	..
Bihar		68	3	2.3	..	1	..	1	5	3.8	..
Bettiah		38	16	21.9	1	1.4	..
Bhagalpur†														
Chapra		69	21	15.8	1	1	14	10.4	2
Darbhangā		93	21	11.7	2	10	5.6	..
Dhanbad		41	11	14.0	..	2	4	5.1	..
Dinapur		44	5	5.9	3	5	5.9	..
Gaya		149	18	6.3	29	3	17	..	64	22.3	..
Hazaribagh		39	19	25.3	2	..	8	10.7	..
Jamulpur		47	7	7.7	..	1	1	1.1	..
Jamshedpur		246	97	20.5	1	..	3	1	15	3.2	5
Katihar		51
Mongyr †														
Muzaffarpur		84	15	9.3	4	..	1	..	15	9.3	..
Patna		330	120	18.9	..	3	..	3	..	2	..	35	5.5	..
Purulia		47	7	7.7	1	3	3.3	..
Ranchi		130	26	10.4	..	1	..	11	1	19	7.6	6
TOTAL		1,546	398	13.4	1	8	..	58	4	25	4	205	6.9	13

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates are not sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th April, 1956—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Pradesh		<i>w/e 7-4-56</i>											
Nagpur . . .	528	147	19.5	..	23	..	30	1	10	1	107	10.5	4
Kamptee . . .	36	17	24.6	3	10	14.4	..
Jabalpur . . .	237	135	29.6	..	2	..	8	2	7	..	36	7.9	..
Sagar . . .	75	40	27.7	..	6	..	6	..	3	..	15	10.4	..
Damoh . . .	42	30	37.1	2	..	2	..	9	11.1	..
Itarsi . . .	30	12	20.8	1	1	1.7	..
Bilaspur . . .	40	21	27.3	2	3	2	..	11	14.3	4
Gondia . . .	45	26	30.0	1	1	5	5.8	3
Amravati . . .	101	99	51.0	7	2	4	2	36	18.5	10
Achalpur . . .	38	15	20.5	..	4	..	3	..	1	..	17	23.3	4
Yeotmal . . .	41	32	40.6	6	..	3	..	16	20.3	5
Akola . . .	104	54	27.0	..	2	..	8	..	3	..	23	11.5	7
TOTAL	1,317	628	24.8	..	37	..	77	8	34	4	286	11.3	37
West Bengal		<i>w/e 21-4-56.</i>											
Asansol†													
Baidyabati†													
Bally . . .	66	11	8.7	1	..	2	1.6	..
Bankura . . .	50	20	20.9	1	1	3	3.1	..
Bansberia†													
Baranagar . . .	90	40	23.2	5	3	4	..	31	18.0	9
Basirhat . . .	39	5	6.7	1	..	1	1.3	..
Berhampur . . .	64	35	28.6	3	4	4	..	25	20.4	6
Bhadreshwar . . .	34	7	10.8	1	..	1	..	5	7.7	..
Bhatpara . . .	143	19	6.9	6	5	4	..	18	6.6	12
Budge-Budge . . .	32	8	13.1	1	..	1	1.6	..
Burdwan†													
Culcutta . . .	2,984	1,354	23.7	36	5	..	54	84	209	2	813	14.2	220
Champdani . . .	41	22	28.1	1	..	5	4	..
Cooch Behar†													
Darjeeling†													
English-Bazar . . .	36	17	24.7	3	4.4	..
Garden Reach . . .	124	15	6.3	5	1	2	..	12	5.1	3
Halisahar . . .	41	6	7.7	1	1.3	..
Hoogly-Chinsurah . . .	60	51	44.4	2	1	2	..	14	12.2	3
Howrah . . .	477	101	11.1	14	1	..	12	14	30	..	148	16.2	43
Jalpaiguri . . .	49	21	22.4	4	1	2	..	11	11.7	..
Kamarhati†													
Kanchrapara†													
Krishnagar . . .	56	1	0.9	2	1.9	..
Midnapore . . .	45	25	29.0	2	9	10.5	..
Nabadwip . . .	70	27	20.2	6	6	1	..	14	10.5	..
Naihati . . .	62	5	4.2
North Barrackpore . . .	36	3	4.4
Panihati†													
Shantipur . . .	49	22	23.5	1	1	..	2	2.1	..
Serampore . . .	83	35	22.0	1	5	3	1	..	24	15.1	11
Siliguri†													
South Dum Dum . . .	83	16	10.1
South Suburban . . .	124	123	57.9	1	1	1	5	..	9	3.8	2
Titagarh†													
TOTAL	4,938	1,989	20.9	54	6	..	104	124	271	3	1,153	12.2	309

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th April, 1956—*contd.*

Town	Deaths from :—														D.R.*	I.D.
	Mid-car Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total					
Madhya Pradesh		w/e 7-4-56														
Achalpur	38	15	20.5	..	4	..	3	..	1	..	17	23.3	4			
Akola	104	54	27.0	..	2	..	8	..	3	..	23	11.5	7			
Amravati	101	99	51.0	7	2	4	2	36	18.5	10			
Bilaspur	40	21	27.3	2	3	2	..	11	14.3	4			
Burhanpur†																
Chanda †																
Chindwar†																
Damoh	42	30	37.1	2	..	2	..	9	11.1	..			
Gondia	45	26	30.0	1	1	5	5.8	3			
Hinganghat†																
Jabalpur	237	135	29.6	..	2	..	8	2	7	..	36	7.9	..			
Khandwa †																
Itarsi	30	12	20.8	1	1	1.7	..			
Khamgaon†																
Kamptee	36	17	24.6	3	10	14.4	..			
Murwar †																
Nagpur	528	147	14.5	..	23	..	30	1	10	1	107	10.5	4			
Sagar	75	40	27.7	..	6	..	6	..	3	..	15	10.4	..			
Raipur †																
Rajgarh †																
Wardha †																
Yeotmal	41	32	40.6	6	..	2	..	16	20.3	5			
TOTAL	1,317	628	24.2	..	37	..	77	8	34	4	286	11.3	37			
Madhya Bharat		w/e 14-4-56														
Greater Gwalior	273	29	5.5	1	..	1	..	12	2.3	1			
Indore	368	147	20.8	26	..	13	1	107	15.1	31			
Ujjain	156	42	14.0	..	5	..	10	42	14.0	2			
Ratlam	73	26	18.5	..	1	..	1	..	2	1	12	8.5	1			
Mandsaur	41	12	15.2	2	2	2.5	..			
TOTAL	911	256	14.6	..	6	..	40	..	16	2	175	10.0	35			
Rajasthan		w/e. 21-4-56.														
Jaipur	353	71	10.5	13	4	28	1	84	12.4	26			
Alwar	60	24	20.8	1	2	1	..	6	5.2	..			
Tonk	45	3	3.5	1	..	2	2.3	..			
Bikaner	117	40	17.8	..	8	2	5	..	22	9.8	..			
Churu	48	1	1.1	1	1.1	..			
Ganganagar	47	2	..	4	1	3	..	12	13.2	..			
Kotah	72	6	4.3	2	2	1.4	..			
TOTAL	742	145	10.2	..	10	..	20	9	38	1	129	9.0	26			
Madhya Pradesh		w/e 14-4-56														
Nagpur	528	60	5.9	..	6	..	33	2	8	1	73	7.2	..			
Kamptee	36	18	26.0	1	6	8.7	..			
Jabalpur	237	122	26.8	11	..	8	..	36	7.9	..			
Sagar	75	46	31.9	..	18	..	5	..	1	..	29	20.1	..			
Damoh	42	24	29.7	3	7	8.7	..			
Khandwa	59	12	10.6	5	8	7.1	..			
Burhanpur	79	69	45.4	29	1	51	33.6	..			
Bilaspur	40	33	42.9	6	21	27.3	13			
Gondia	45	31	35.8	..	2	..	8	1	12	13.9	1			

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total death) ; ..=Nil information

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 28th April, 1956—*concl'd.*

Town	Mid-year Popn. Est (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Madhya Pradesh—contd.		“N.R.”													
Amravati	101	72	37·0	9	..	4	..	24	12·4	5		
Achalpur	38	28	38·3	..	4	..	6	22	30·1	4		
Yeotmal	41	34	43·1	3	12	15·2	5		
Akola	104	80	40·0	..	1	..	13	2	4	..	44	22·0	10		
Raigarh	35	17	25·3	5	6	8·9	..		
TOTAL	1,460	646	23·0	..	31	..	137	5	25	2	351	12·5	38		
w/e 28-2-56															
Nagpur	528	127	15·5	..	7	..	15	2	7	..	60	5·9	..		
Kamptee	36	15	21·7		
w/e 31-3-56															
Chanda	43	30	36·3	1	1	8	9·7	1		
Travancore-Cochin		w/e 21-4-56													
Alleppey	148	179	62·9	2	..	3	..	34	12·0	4		
Trichur	76	27	18·5	2	..	4	2·7	..		

*In cases of towns where there has been an abnormal movement of population it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Birth ; B. R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D. D.=Dysentery and Diarrhoea ; R. D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; : = Nil Information "N. R."=Information not received.

REMARKS

The figures of births and deaths shown in this statement for week ending the 28th April, 1956 relate to 214 towns with an estimated population of 29,946 thousands. The total number of towns is 317 and their population is 41,516 thousands. Thus 68% of the total number of towns representing 72% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 17,560 and 7,778 representing birth and death rates of 30.5 and 13.5 per thousand of population respectively.

(a) *States (Part A and C).*—The data here relate to 176 towns with an estimated population of 25,737 thousands. Information about Bihar, Delhi, Madhya Pradesh and Orissa could not be included. The total number of towns is 252 and their population is 33,432 thousands. Thus 70% of the total number of towns representing 77% of the total population is covered.

The number of births and deaths recorded in these towns were 15,046 and 6,929 representing birth rates and death rates of 30.4 and 14.0 per thousand of population respectively. The table at the end gives the position by States

No town recorded a high death rate of 50 or over per thousand of population.

(b) *States (Part B).*—The data here relate to 38 towns with an estimated population of 4,209 thousands. The total number of towns is 65 and their population is 8,084 thousands. Thus 58% of the total number of towns representing 52% of the total population is covered. The number of births and deaths recorded in these towns were 2,514 and 849 representing birth and death rates of 31.1 and 10.5 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 28-4-56		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Ajmer . . .	14.7	9.8	†	†	26.2	22.2
Andhra . . .	32.9	15.5	32.1	14.0	†	†
Bombay . . .	29.5	14.1	28.3	12.3	28.1	15.6
Madras . . .	46.5	17.6	45.0	18.4	†	†
Punjab (I) . .	26.8	8.6	26.1	8.4	24.3	10.1
Uttar Pradesh .	29.5	15.5	24.4	14.2	26.7	16.6
West Bengal .	18.0	10.5	14.7	9.2	15.0	12.1
*India . . .	30.4	14.0	30.9	13.8	28.4	15.9

*6 Part 'A' States and 1 Part 'C' State.

†Figures not available.

NEW DELHI-2 (INDIA) ; }
The 21st May, 1956. }

K. MITRA,
for Registrar General, India.